

# Bird list

## TSOWA SAFARI ISLAND

Tsowa Safari Island's unique location provides a haven for both birds and birdwatching alike, with over 450 species listed for the area. This comprehensive list includes 461 species.

- Apalis Yellow-breasted
- Avocet Pied
- Babbler Arrow-marked
- Babbler Hartlaub's
- Barbet Acacia Pied
- Barbet Black-collared
- Barbet Crested
- Bateleur
- Batis Chinspot
- Bee-eater Blue-cheeked (m)
- Bee-eater European (m)
- Bee-eater Little
- Bee-eater Olive
- Bee-eater Southern Carmine (m)
- Bee-eater Swallow-tailed
- Bee-eater White-fronted
- Bishop Southern Red
- Bishop Yellow
- Bishop Yellow-crowned
- Bittern Dwarf (u-m)
- Bittern Eurasian (u)\*\*
- Bittern Little (u)
- Boubou Swamp
- Boubou Tropical
- Broadbill African
- Brownbul Terrestrial
- Brubru
- Bulbul African Red-eyed
- Bulbul Dark-capped
- Bunting Cinnamon-breasted
- Bunting Golden-breasted
- Bushshrike Grey-headed
- Bushshrike Orange-breasted
- Bustard Black-bellied
- Bustard Denham's (u-m)
- Bustard Kori
- Buttonquail Black-rumped (u)
- Buttonquail Kurrichane (m)
- Buzzard Augur
- Buzzard Common / Steppe (m)
- Buzzard European Honey (u-m)
- Buzzard Lizard
- Camaroptera Grey-backed
- Canary Black-throated
- Canary Yellow
- Canary Yellow-fronted
- Chat Arnot's
- Chat Familiar
- Chat Mocking Cliff
- Cisticola Chirping
- Cisticola Croaking
- Cisticola Desert
- Cisticola Luapula
- Cisticola Rattling
- Cisticola Red-faced
- Cisticola Tinkling
- Cisticola Zitting
- Coot Red-knobbed
- Cormorant Reed
- Cormorant White-breasted
- Coucal Black (u-m)
- Coucal Coppery-tailed
- Coucal Senegal (u)
- Coucal White-browed
- Courser Bronze-winged
- Courser Double-banded
- Courser Temminck's
- Courser Three-banded (u)
- Crake African (u-m)
- Crake Baillon's (u)
- Crake Black
- Crake Corn (u-m)
- Crake Spotted (u-m)
- Crake Striped (u-m)
- Crane Grey Crowned (u)
- Crane Wattled (u)
- Creeper Spotted (u)
- Crombec Long-billed
- Crombec Red-faced
- Crow Pied
- Cuckoo African (m)
- Cuckoo African Emerald (m)
- Cuckoo Black (m)
- Cuckoo Common (u-m)
- Cuckoo Diederik (m)
- Cuckoo Great Spotted (m)
- Cuckoo Jacobin (m)
- Cuckoo Klaas's (m)
- Cuckoo Levallant's (m)
- Cuckoo Red-chested (m)
- Cuckoo Thick-billed (u)
- Cuckooshrike Black
- Cuckooshrike White-breasted (u)
- Darter African
- Dove African Mourning
- Dove Cape Turtle
- Dove Emerald-spotted Wood
- Dove Laughing
- Dove Namaqua
- Dove Red-eyed
- Dove Rock / Common Pigeon
- Drongo Fork-tailed
- Duck African Black
- Duck Fulvous Whistling
- Duck Knob-billed
- Duck White-backed
- Duck White-faced Whistling
- Duck Yellow-billed
- Eagle African Fish
- Eagle African Hawk
- Eagle Ayres's Hawk (u)
- Eagle Black-chested Snake
- Eagle Booted (m)
- Eagle Brown Snake
- Eagle Crowned (u)
- Eagle Lesser Spotted (u-m)
- Eagle Long-crested

\*\* Rare resident, now considered to be critically Endangered

(u) Generally uncommon

(m) Migrant / Moves Seasonally - generally only seen at certain times of the year

(u-m) Generally uncommon | Migrant

(h) Historically found in the area

- |   |   |  |
|---|---|--|
| <input type="radio"/> Eagle Martial                   | <input type="radio"/> Godwit Black-tailed (u-m)       | <input type="radio"/> Ibis Glossy                    |
| <input type="radio"/> Eagle Steppe (m)                | <input type="radio"/> Goose African Pygmy-            | <input type="radio"/> Ibis Hadedda                   |
| <input type="radio"/> Eagle Tawny                     | <input type="radio"/> Goose Egyptian                  | <input type="radio"/> Indigobird Purple              |
| <input type="radio"/> Eagle Verreaux's                | <input type="radio"/> Goose Spur-winged               | <input type="radio"/> Indigobird Village             |
| <input type="radio"/> Eagle Wahlberg's (m)            | <input type="radio"/> Goshawk African                 | <input type="radio"/> Jacana African                 |
| <input type="radio"/> Eagle Western Banded Snake (u)  | <input type="radio"/> Goshawk Dark Chanting           | <input type="radio"/> Jacana Lesser (u)              |
| <input type="radio"/> Egret Great (u)                 | <input type="radio"/> Goshawk Gabar                   | <input type="radio"/> Kestrel Dickinson's (u)        |
| <input type="radio"/> Egret Little                    | <input type="radio"/> Grebe Little                    | <input type="radio"/> Kestrel Greater                |
| <input type="radio"/> Egret Slaty (u)                 | <input type="radio"/> Greenbul Yellow-bellied         | <input type="radio"/> Kestrel Lesser (m)             |
| <input type="radio"/> Egret Western Cattle            | <input type="radio"/> Greenshank Common (m)           | <input type="radio"/> Kestrel Rock                   |
| <input type="radio"/> Egret Yellow-billed             | <input type="radio"/> Guineafowl Crested              | <input type="radio"/> Kingfisher African Pygmy (m)   |
| <input type="radio"/> Eremomela Burnt-necked          | <input type="radio"/> Guineafowl Helmeted             | <input type="radio"/> Kingfisher Brown-hooded        |
| <input type="radio"/> Eremomela Green-capped          | <input type="radio"/> Gull Grey-headed                | <input type="radio"/> Kingfisher Giant               |
| <input type="radio"/> Eremomela Yellow-bellied        | <input type="radio"/> Hamerkop                        | <input type="radio"/> Kingfisher Grey-headed (m)     |
| <input type="radio"/> Falcon Amur (m)                 | <input type="radio"/> Harrier African Marsh           | <input type="radio"/> Kingfisher Half-collared (u)   |
| <input type="radio"/> Falcon Lanner                   | <input type="radio"/> Harrier Montagu's (u-m)         | <input type="radio"/> Kingfisher Malachite           |
| <input type="radio"/> Falcon Peregrine (u)            | <input type="radio"/> Harrier Pallid (u-m)            | <input type="radio"/> Kingfisher Pied                |
| <input type="radio"/> Falcon Red-footed (m)           | <input type="radio"/> Hawk African Cuckoo (u)         | <input type="radio"/> Kingfisher Striped             |
| <input type="radio"/> Falcon Red-necked (u)           | <input type="radio"/> Hawk African Harrier            | <input type="radio"/> Kingfisher Woodland (m)        |
| <input type="radio"/> Falcon Taita (u)                | <input type="radio"/> Hawk Bat (u)                    | <input type="radio"/> Kite Black (m)                 |
| <input type="radio"/> Finch African Quail-            | <input type="radio"/> Heron Black                     | <input type="radio"/> Kite Black-winged (shouldered) |
| <input type="radio"/> Finch Cuckoo                    | <input type="radio"/> Heron Black-crowned Night       | <input type="radio"/> Kite Yellow-billed (m)         |
| <input type="radio"/> Finch Cut-throat                | <input type="radio"/> Heron Black-headed              | <input type="radio"/> Korhaan Red-crested            |
| <input type="radio"/> Finch Red-headed                | <input type="radio"/> Heron Goliath                   | <input type="radio"/> Lapwing African Wattled        |
| <input type="radio"/> Finch Scaly-feathered           | <input type="radio"/> Heron Green-backed              | <input type="radio"/> Lapwing Blacksmith             |
| <input type="radio"/> Finfoot African                 | <input type="radio"/> Heron Grey                      | <input type="radio"/> Lapwing Crowned                |
| <input type="radio"/> Firefinch Brown                 | <input type="radio"/> Heron Purple                    | <input type="radio"/> Lapwing Long-toed              |
| <input type="radio"/> Firefinch Jameson's             | <input type="radio"/> Heron Rufous-bellied (u)        | <input type="radio"/> Lapwing White-crowned          |
| <input type="radio"/> Firefinch Red-billed            | <input type="radio"/> Heron Squacco                   | <input type="radio"/> Lark Chestnut-backed Sparrow-  |
| <input type="radio"/> Fiscal Common (Fiscal Shrike)   | <input type="radio"/> Heron White-backed Night (u)    | <input type="radio"/> Lark Dusky (u-m)               |
| <input type="radio"/> Flamingo Greater                | <input type="radio"/> Hobby African (u-m)             | <input type="radio"/> Lark Flappet                   |
| <input type="radio"/> Flamingo Lesser                 | <input type="radio"/> Hobby Eurasian (u-m)            | <input type="radio"/> Lark Grey-backed Sparrow-      |
| <input type="radio"/> Flufftail Red-chested           | <input type="radio"/> Honeybird Brown-backed          | <input type="radio"/> Lark Monotonous                |
| <input type="radio"/> Flycatcher African Paradise (m) | <input type="radio"/> Honeybird Green-backed (u)      | <input type="radio"/> Lark Red-capped                |
| <input type="radio"/> Flycatcher Ashy                 | <input type="radio"/> Honeyguide Greater              | <input type="radio"/> Lark Rufous-naped              |
| <input type="radio"/> Flycatcher Grey Tit- (u)        | <input type="radio"/> Honeyguide Lesser               | <input type="radio"/> Lark Sabota                    |
| <input type="radio"/> Flycatcher Marico               | <input type="radio"/> Hoopoe African                  | <input type="radio"/> Longclaw Rosy-throated (u)     |
| <input type="radio"/> Flycatcher Pale                 | <input type="radio"/> Hornbill African Grey           | <input type="radio"/> Mannikin Bronze                |
| <input type="radio"/> Flycatcher Southern Black       | <input type="radio"/> Hornbill Bradfield's            | <input type="radio"/> Martin Banded                  |
| <input type="radio"/> Flycatcher Spotted (m)          | <input type="radio"/> Hornbill Crowned                | <input type="radio"/> Martin Brown-throated          |
| <input type="radio"/> Francolin Coqui                 | <input type="radio"/> Hornbill Southern Ground-       | <input type="radio"/> Martin Common House (m)        |
| <input type="radio"/> Francolin Crested               | <input type="radio"/> Hornbill Southern Red-billed    | <input type="radio"/> Martin Rock                    |
| <input type="radio"/> Francolin Shelley's (u)         | <input type="radio"/> Hornbill Southern Yellow-billed | <input type="radio"/> Martin Sand (m)                |
| <input type="radio"/> Gallinule Allen's (u-m)         | <input type="radio"/> Hornbill Trumpeter              | <input type="radio"/> Moorhen Common                 |
| <input type="radio"/> Go-away-bird Grey               | <input type="radio"/> Ibis African Sacred             | <input type="radio"/> Moorhen Lesser (m)             |

(u) Generally uncommon

(m) Migrant / Moves Seasonally - generally only seen at certain times of the year

(u-m) Generally uncommon | Migrant

(h) Historically found in the area

- Mousebird Red-faced
- Neddicky
- Nicator Eastern
- Nightingale Thrush (u-m)
- Nightjar European (u-m)
- Nightjar Fiery-necked
- Nightjar Freckled
- Nightjar Pennant-winged (m)
- Nightjar Rufous-cheeked (m)
- Nightjar Square-tailed
- Nightjar Swamp (u)
- Openbill African
- Oriole African Golden (m)
- Oriole Black-headed
- Oriole Eurasian Golden (m)
- Osprey Western (u-m)
- Owl African Scops
- Owl African Wood
- Owl Marsh
- Owl Pel's Fishing
- Owl Southern White-faced
- Owl Spotted Eagle-
- Owl Verreaux's Eagle-
- Owl Western Barn
- Owlet African Barred
- Owlet Pearl-spotted
- Oxpecker Red-billed
- Oxpecker Yellow-billed
- Parrot Grey-headed
- Parrot Meyer's
- Pelican Great White
- Pelican Pink-backed
- Petronia Yellow-throated
- Pigeon African Green
- Pipit African
- Pipit Buffy
- Pipit Tree (m)
- Pipit Wood
- Plover Caspian (u-m)
- Plover Common Ringed (m)
- Plover Kittlitz's
- Plover Three-banded
- Plover White-fronted
- Pochard Southern
- Pratincole Black-winged
- Pratincole Collared
- Pratincole Rock (m)
- Prinia Black-chested
- Prinia Tawny-flanked
- Puffback Black-backed
- Pytilia Green-winged
- Pytilia Orange-winged (u)
- Quail Harlequin
- Quelea Red-billed
- Rail African
- Robin Bearded Scrub
- Robin White-browed Scrub
- Robin-Chat White-browed
- Roller Broad-billed (m)
- Roller European (m)
- Roller Lilac-breasted
- Roller Purple
- Roller Racket-tailed (u)
- Ruff (m)
- Sandgrouse Burchell's
- Sandgrouse Double-banded
- Sandgrouse Yellow-throated (u)
- Sandpiper Common (m)
- Sandpiper Curlew (m)
- Sandpiper Green (u-m)
- Sandpiper Marsh (m)
- Sandpiper Wood (m)
- Scimitarbill Common
- Secretarybird
- Seedeater Black-eared
- Shikra
- Shoveler Cape
- Shrike Crimson-breasted
- Shrike Lesser Grey (m)
- Shrike Magpie
- Shrike Red-backed (m)
- Shrike Retz's Helmet-
- Shrike Southern White-crowned
- Shrike Souza's (u)
- Shrike White-crested Helmet-
- Skimmer African (m)
- Snipe African
- Snipe Greater Painted-
- Sparrow House
- Sparrow Southern Grey-headed
- Sparrowhawk Black
- Sparrowhawk Little (u)
- Sparrowhawk Ovambo
- Spinetail Böhm's (u)
- Spoonbill African
- Spurfowl Natal
- Spurfowl Red-billed
- Spurfowl Swainson's
- Starling Burchell's
- Starling Cape Glossy
- Starling Greater Blue-eared
- Starling Meves's
- Starling Miombo Blue-eared
- Starling Red-winged
- Starling Violet-backed (m)
- Starling Wattled
- Stilt Black-winged
- Stint Little (m)
- Stonechat African
- Stork Abdim's (m)
- Stork Black
- Stork Marabou
- Stork Saddle-billed
- Stork White (m)
- Stork Woolly-necked
- Stork Yellow-billed
- Sunbird Amethyst
- Sunbird Collared
- Sunbird Copper (u)
- Sunbird Marico
- Sunbird Purple-banded
- Sunbird Scarlet-chested
- Sunbird Shelley's (u)
- Sunbird White-bellied
- Swallow Angola (u-m)
- Swallow Barn (m)
- Swallow Greater Striped (m)
- Swallow Grey-rumped
- Swallow Lesser Striped
- Swallow Mosque
- Swallow Pearl-breasted
- Swallow Red-breasted (m)
- Swallow White-throated (m)
- Swallow Wire-tailed
- Swamphen African

(u) Generally uncommon

(m) Migrant / Moves Seasonally - generally only seen at certain times of the year

(u-m) Generally uncommon | Migrant

(h) Historically found in the area

